



# **Rizer**




---

## **MVA065E**

# ELECTRIC ALUMINIUM WORK PLATFORM SINGLE MAST

# Rizer

## MVA065E



|              |             |
|--------------|-------------|
| <b>S.W.L</b> | 250kg/551lb |
|--------------|-------------|



|                              |               |
|------------------------------|---------------|
| <b>Platform floor height</b> | 6.50m/21ft4in |
|------------------------------|---------------|



|                       |              |
|-----------------------|--------------|
| <b>Overall length</b> | 1.54m/5ft1in |
|-----------------------|--------------|

|                      |               |
|----------------------|---------------|
| <b>Overall width</b> | 1.20m/3ft11in |
|----------------------|---------------|

|                       |               |
|-----------------------|---------------|
| <b>Overall height</b> | 1.82m/5ft11in |
|-----------------------|---------------|

|                      |                                |
|----------------------|--------------------------------|
| <b>Platform size</b> | 1.20 X 1.19m/3ft11in X 3ft10in |
|----------------------|--------------------------------|

|                         |           |
|-------------------------|-----------|
| <b>Ground clearance</b> | 0.06m/2in |
|-------------------------|-----------|

|                  |              |
|------------------|--------------|
| <b>Wheelbase</b> | 1.29m/4ft2in |
|------------------|--------------|

|                       |  |
|-----------------------|--|
| <b>Turning radius</b> |  |
|-----------------------|--|

|                       |            |
|-----------------------|------------|
| <b>Inside/Outside</b> | 0.85/2.00m |
|-----------------------|------------|



|                     |               |
|---------------------|---------------|
| <b>Drive motors</b> | 2X24VDC/0.5kw |
|---------------------|---------------|

|                      |           |
|----------------------|-----------|
| <b>Lifting motor</b> | 24VDC/2kw |
|----------------------|-----------|



|                     |  |
|---------------------|--|
| <b>Travel speed</b> |  |
|---------------------|--|

|               |                   |
|---------------|-------------------|
| <b>Stowed</b> | 4 Km/h 2.5miles/h |
|---------------|-------------------|

|               |                      |
|---------------|----------------------|
| <b>Raised</b> | 1.1 km/h 0.68miles/h |
|---------------|----------------------|

|                      |           |
|----------------------|-----------|
| <b>Up/Down speed</b> | 43/35 sec |
|----------------------|-----------|



|                  |             |
|------------------|-------------|
| <b>Batteries</b> | 2X12V/120Ah |
|------------------|-------------|

|                           |          |
|---------------------------|----------|
| <b>Integrated charger</b> | 24 V/12A |
|---------------------------|----------|



|                     |     |
|---------------------|-----|
| <b>Gradeability</b> | 25% |
|---------------------|-----|

|                      |       |
|----------------------|-------|
| <b>Maximum slope</b> | 1.5 ° |
|----------------------|-------|



|              |  |
|--------------|--|
| <b>Tyres</b> |  |
|--------------|--|

|                     |            |
|---------------------|------------|
| <b>Drive motors</b> | φ 250X80mm |
|---------------------|------------|

|                     |            |
|---------------------|------------|
| <b>Front wheels</b> | φ 250X80mm |
|---------------------|------------|



|               |              |
|---------------|--------------|
| <b>Weight</b> | 950kg/2094lb |
|---------------|--------------|

### Standard equipment

- Can Bus Technology
- Proportional controls
- Battery charge indicator
- Hour Meter
- Forklift pockets
- Fault indicator on platform
- Low voltage alarm
- Emergency down button
- Charger protection
- Horn
- Tilt protection
- Tilt alarm
- Controller temperature protection
- 2WD
- Over load restriction
- Standard platform
- Material lifting device

