



CC1200 SOIL COMPACTION


SOIL COMPACTION



BASE





More info about the legend





Capacity (m ³ /h)		Number of passes						
		4	6	8	10	12	14	16
Thickness (m)	0.1	81	54	41	32	27	23	20
	0.2	162	108	81	65	54	46	41

GRAVEL, MULTI GRADED




Capacity (m ³ /h)		Number of passes						
		4	6	8	10	12	14	16
Thickness (m)	0.1	68	45	34	27	23	19	17
	0.2	135	90	68	54	45	39	34
	0.3	203	135	101	81	68	58	51
	0.4	270	180	135	108	90	77	68

ROLLER COMPACTED CONCRETE




Capacity (m ³ /h)		Number of passes						
		4	6	8	10	12	14	16
Thickness (m)	0.1	81	54	41	32	27	23	20
	0.2	162	108	81	65	54	46	41

SAND, MULTI GRADED




More info about the legend




Capacity (m ³ /h)		Number of passes						
		4	6	8	10	12	14	16
Thickness (m)	0.1	68	45	34	27	23	19	17
	0.2	135	90	68	54	45	39	34

SUBBASE



More info about the legend



Capacity (m ³ /h)		Number of passes						
		4	6	8	10	12	14	16
Thickness (m)	0.1	81	54	41	32	27	23	20
	0.2	162	108	81	65	54	46	41