

# monitor LiFTS

SYDNEY MELBOURNE BRISBANE TAMWORTH

monitor.net.au • 1800 025 024

## MONITOR Z16RT BOOM LIFT



# MONITOR Z-16RT

The Monitor 4 × 4 Jack Boom Lifts are extremely unique in the fact they can be used as a conventional self-propelled boom-lift, or the jacks (stabiliser legs) can be deployed from the basket to level the machine on uneven ground. Brilliant? You could say!

For the first time in Australasia, Monitor Lifts are able to supply you with a self-propelled boom-lift that can operate safely on sloping and uneven terrain. As we know, the world is not always flat!

The jacks provide set-up on slopes of up to 12 degrees. But then of course you can tackle even more angle if required with the use of stabiliser pads which are stored on the machine's chassis. Just like a Rough Terrain scissor lift, you don't need to use the jacks if you are operating on level ground.

The feedback from rental owners and contractors has been exceptional, as the performance of these machines is terrific, and returns are stronger than







with conventional models. Operators feel safer and also love the confidence they can have in knowing that the job will get done!



**16.8M**  
WORKING HEIGHT



# TECHNICAL SPECIFICATIONS



<b>Max working height</b>	<b>16.80 m</b>
<b>Max horizontal outreach</b>	<b>9.40 m</b>
Max rated capacity	230 kg
<b>Weight</b>	<b>8050 kg (8200 kg 4WS)</b>
Turret rotation	360°
Basket rotation	180°
Ground pressure driving (approx)	670 kN/m <sup>2</sup>
Max stabiliser force	35.61 kN
Max stabiliser pressure (std foot pad)	670 kN/m <sup>2</sup>
Traffic load (live load) travelling	4.8 kN/m <sup>2</sup>
Traffic load (live load) elevated	10.0 kN/m <sup>2</sup>
Auto levelling	Std
Max permissible tilt: Tyres/Stabs	5° / 1°
Max slope for stabilisers (no extra pads)	11° x 8°
Gradeability lengthwise	23°
Gradeability sideways	23°
Standard engine	Kubota 35 Hp Diesel
Max drive speed	6 km/h
Electric emergency lowering	Optional
Generator 5 kVA	Optional

(All specs E&OE and subject to change)





MONITOR Z-16RT - BOOM LIFTS



# GET IN TOUCH

You may contact us at [monitor.net.au](http://monitor.net.au), or call us at 1800 025 024.

