



143 Gunnedah Road  
P O Box 7090 NEMSC  
Tamworth, NSW 2348  
Australia

Ph: (02) 6755 6000  
Fax: (02) 6755 6006  
e: [sales@monitor.net.au](mailto:sales@monitor.net.au)

## MONITOR MACHINE INDUCTION

---

**MODEL :** TC1 Tracked Carrier

**Warning!** This is a basic induction only, and is not designed to remove the responsibility the operator has to be fully conversant with the Operator's Manual and any site-specific requirements.....

INTRODUCTION:

- 1) Identify Safe Working Load .....
- 2) Slope of area to be operated.....
- 3) Identify Wind Load or sail effect if applicable .....
- 4) Identify swing and crush hazards of platform .....
- 5) Importance of load restraint and understanding the load centre of gravity .....
- 6) Operators' manual for technical assistance.....
- 7) Personal protective clothing and / or equipment requirements.....

OPERATION: (Note: Perform pre-operation checks!).....

- 1) Use caution on uneven ground.....
- 2) Do not leave parked on a slope.....
- 3) Keep well clear of the machine when driving .....
- 4) Never stand on the lower side of the machine on a slope.....
- 5) Check that the carry platform is locked in the required position before movement.....
- 6) Check the ground conditions for stability and friction, especially after rain and or earthworks.
- 7) Levers, buttons and their functions.....
- 8) Spare battery for remote .....
- 9) 240 volt Charging of batteries.....
- 10) Ensure locking bolts are secure on extension bars before transporting. ....

TRAILER (if applicable):

- 1) Loading and unloading on firm and level ground.....
- 2) Correct load balance .....
- 3) S.W.L. of towing vehicle .....
- 4) Brakes and adjustments.....



Signature: \_\_\_\_\_

Name: \_\_\_\_\_

Ph: \_\_\_\_\_

Employer: \_\_\_\_\_

Ph: \_\_\_\_\_

Address: \_\_\_\_\_

Fax: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

The above induction was given and completed by:

\_\_\_\_\_

Print Name

\_\_\_\_\_

Signature